*FROM ONE*
*TREE TO ONE HOME*

LULI GROUP

**LULI GROUP CORP.,LTD**

**Address:** Luli Wood Industry Industrial Park Shouguang City, Shandong Province, China

**Website:** www.luligroup.com

**LULI GROUP**
FURNITURE CATALOGUE



# THE CONTENTS


01
COMPANY PROFILE

07
TV STAND & CABINET

09
COFFEE TABLE & END TABLE

10
STORAGE CABINET

11
MAKEUP TABLE & VANITIES

12
OFFICE FURNITURE

13
BATHROOM CABINET

14
KITCHEN FURNITURE

# COMPANY PROFILE

## 公司简介







**出口：**板材、家具和钢铁产品
**进口：**原木、锯材

年进出口总额
**7000多万美元**


入选中国企业
**500强**

山东金丽进出口有限公司成立于 2005 年，主要以出口板材、家具和钢铁产品，进口原木、锯材为主，年进出口总额七千多万美元，是潍坊市规模较大的进出口贸易公司之一。

山东金丽进出口有限公司，隶属于鲁丽集团，鲁丽集团创始于 1985 年，现已发展为：精品无缝钢管和高端特钢锻打，生态木业和家居智能制造，进出口贸易和现代物流，光伏发电和煤气发电等新能源利用，污水净化和废旧资源回收等环保节能利用于一体的大型企业集团，入选中国企业 500 强！

Shandong Jinli Imp.& Exp. Co., Ltd., established in 2005, mainly for export panel, furniture and steel sheet products, and import log and sawn timber, annual total import and export $about seventy million. It is one of the largest import and export trading companies in Shandong Province.

Shandong Jinli Imp.& Exp. Co., Ltd.,is the subsidiary of Luli Group Corporation. Luli Group Co., Ltd. was founded in 1985. After more than 30 years of hard work and pioneering efforts, it has developed into a number of production (line) industries ecological wood industry, environmental protection paper industry, import and export trade, etc. Large enterprise group.



# 鲁丽木业生态产业鸟瞰图

# 2000000㎡

- FSC/COC 国际产销监管链体系认证
- 美国 CARB 认证
- 日本 JAS 认证
- ISO9001/14001 国际质量
- 环境体系认证
- 中国环境标志产品认证

鲁丽绿色智能生态木业产业园位于中国山东省寿光市，占地2000000 平方米，为亚洲第一的木业综合生态产业园区，园区主要从事木材加工资源综合利用、人造板及木制品、家具研发设计与生产等。家具自动化生产线年产 15 万套板式家具，技术及主体设备商为国际最顶尖的家具智能化装备制造商德国豪迈公司，家具制造实现了由传统劳动密集型转为自动智能化。同时公司现已顺利通过了 ISO9001/14001 国际质量、环境体系认证、中国环境标志产品认证、FSC/COC 国际产销监管链体系认证、美国 CARB 认证及日本 JAS 认证。

Lu Li Green Intelligent Ecological Wood industrial Park is located in Shouguang City, Shandong Province, China. It covers an area of 2000,000 square meters. It is the largest wood industry comprehensive ecological industrial park in Asia. R & D design and production. The furniture automation production line has an annual output of 150,000 sets of board furniture. The technology and main equipment vendors are the world's top furniture intelligent equipment manufacturer Germany's heroic company. Furniture manufacturing has realized the transition from traditional labor -intensive to automatic intelligence. At the same time, the company has successfully passed ISO9001/14001 international quality, environmental system certification, China environmental labeling product certification, FSC/COC international production and marketing chain of custody system certification, US CARB certification and Japan JAS certification.

# COMPANY PROFILE

客厅家具　卧室家具　厨房家具　浴室家具

我们的家具产品主要涵盖客厅家具、卧室家具、厨房家具、浴室家具等，基于最先进的生产线和严格的质量控制，我们的家具产品远销 80 多个国家和地区。

放眼未来，我们将本着“厚德感恩，求真务实”的企业经营理念，以客户需求为目标大力推进产品研发，不断实现设计、生产、营销等服务系统的升级，积极加快营销团队的建设，努力将鲁丽好板材制成的好家居推向中国，乃至世界，让更多人用上中国好家居！

Our furniture products mainly cover living room furniture, bedroom furniture, kitchen furniture, bathroom furniture, etc. Based on the most advanced production lines and strict quality control, our furniture products are exported to more than 80 countries and regions.

Looking to the future, we will adhere to the business philosophy of "being gratitude, seeking truth and being pragmatic", vigorously promote product research and development based on customer needs, continue to upgrade the design, production, marketing and other service systems, and actively accelerate the construction of marketing teams , And strive to promote the good home furnishings made of Luli good board to China, and even the world, so that more people can use Chinese good home furnishings!



# TV Stand & Cabinet





TS-001 W160*D40*H62CM



TS-002 W144*D40*H76CM



TS-003 W160*D35*H56CM



TS-004 W175*D40*H45CM



TS-005 W180*D41.5*H30CM



TS-006 W160*D40*H35CM



TS-007 W160*D35*H48CM



TS-008 W156*D40*H70CM



TS-009 W200*D40*H36.5CM



TS-010 W155*D40*H36.5CM



TS-011 W160*D35*H55CM



TS-012 W160*D35*H48CM



TS-013 W100*D40*H40CM



TS-014 W100*D35.5*H38CM



TS-015 W160*D35*H45CM



TS-016 W160*D40*H60CM



TS-017 W160*D40*H35CM



TS-018 W120*D40*H30CM



TS-019 W157*D33*H120CM




TS-020 W147*D59*H40CM



TS-021 W147*D46*H61CM



TS-022 W110*D40*H53CM



TS-023 W135*D40*H41.5CM



TS-024 W140*D40*H52CM




TS-025 W110*D40*H45CM



TS-026 W140*D40*H52CM



TS-027 W130*D45*H85CM



TS-028 W147*D40*H76CM



TS-029 W137*D39.5*H81CM



TS-030 W150*D40*H71CM



TS-031 W147*D39*H76CM



TS-032 W132*D39*H82CM



TS-033 W147*D40*H63.5CM



TS-034 W147*D40*H60CM



TS-035 W150*D35*H50CM



TS-036 W147*D39*H84CM



TS-037 W147*D40*H60CM



TS-038 W200*D34*H56.5CM



TS-039 W147*D40*H63.5CM



TS-040 W152*D40*H76CM



TS-041 W120*D40*H49CM



TS-042 W135*D35*H67.5CM



TS-043 W109*D38*H48CM



TS-044 W147*D40*H64CM



TS-045



TS-046



TS-047



TS-048

# Coffee Table & End Table



# Storage Cabinet





CT-001 W95.5*D67*H38.5CM



CT-002 W100*D50*H50CM



CT-003 W100*D50*H44CM



CT-004 W106*D50*H46CM



CT-005 W115*D40*H50CM



CT-006 W100*D50*H46CM



CT-007 W104*D49.5*H49CM



CT-008 W105*D50*H47CM



CT-009 W120*D60*H56CM



CT-010 W80*D44*H44CM



CT-011 W120*D60*H53CM



CT-012 W105*D60*H42CM



CT-013 W95*D55*H33CM



CT-014 W70*D60*H40CM



CT-015 W90*D56*H35CM



CT-016 W100*D50*H39CM



CT-017 W120*D60*H43CM



CT-018



CT-019 W100*D50*H45CM



CT-020 W110*D60*H30CM



CT-021 W110*D60*H48CM



CT-022 W110*D60*H45CM



CT-023 W100*D50*H46CM



CT-024 W105*D50*H43CM



SC-001 W75*D35*H83CM



SC-002 W130*D35*H97CM



SC-003 W116*D35*H81CM



SC-004 W160*D40*H75CM



SC-005 W80*D40*H182CM



SC-006 W60*D40*H180CM



SC-007 W77*D42*H111.5CM



SC-008 W140*D50*H71CM



SC-009 W90*D40*H82CM



SC-010 W35*D35*H82CM



SC-011 W112*D35*H82CM



SC-012 W79*D35*H81CM



SC-013 W78*D40*H80CM



SC-014 W60*D39*H86CM



SC-015 W116*D35*H81CM



SC-016 W160*D40*H75CM



SC-017 W72*D40*H82CM



SC-018 W147*D40*H76CM



SC-019 W147*D40*H76CM



SC-020 W66*D36*H172CM



SC-021 W113*D39*H75CM



SC-022 W80*D40*H77CM



SC-023 W76*D40*H79CM



SC-024 W110*D40*H79CM



# Makeup Table & Vanities



MT-001 W111*D61*H142CM



MT-002 W111*D61*H142CM



MT-003 W70*D43*H155CM



MT-004 W77*D40*H119CM



MT-005 W80*D40*H140CM



MT-006 W90*D40*H134CM



MT-007 W108*D40*H142CM



MT-008 W70*D49*H152CM



MT-009 W150*D60*H76CM



MT-010 W97*D44.5*H145CM



MT-011 W118*D39*H142CM



MT-012 W90*D36*H135CM



MT-013 W107*D48*H81CM



MT-014 W93*D45*H73CM



MT-015 W84*D40*H133CM



MT-016 W100*D50*H135CM



MT-017 W120*D40*H128CM



MT-018 W110*D44*H150CM



MT-019 W60*D40*H79CM



MT-020 W108.5*D57*H87CM



MT-021 W90*D40*H156CM



MT-022 W90*D40*H140CM



MT-023 W90*D45*H160CM



MT-024 W73*D72*H76CM

# Office Furniture



OF-001 W150*D60*H146.5CM



OF-002 W110*D50*H75CM



OF-003 W100*D42*H85CM



OF-004 W137*D55*H92CM



OF-005 W120*D55*H85CM



OF-006 W104*D48*H96CM



OF-007 W110*D48*H76CM



OF-008 W136*D130*H75CM



OF-009 W151*D151*H169CM



OF-010 W152*D60*H77CM



OF-011 W150*D45*H88CM



OF-012 W142*D60*H74CM



OF-013 W140*D60*H89CM



OF-014 W140*D60*H75CM



OF-015 W60*D40*H128CM



OF-016 W117*D84*H121CM



OF-017 W80*D23*H192CM



OF-018 W62*D29*H180CM



OF-019 W56*D34*H137CM



OF-020 W90*D30*H180CM



OF-021 W40*D40*H65CM



OF-022 W81*D40*H66CM



OF-023 W80*D39*H75CM



OF-024 W110*D40*H66CM

# Bathroom Cabinet



BC-001 W76*D46*H86CM



BC-002 W125*D56*H96CM



BC-003 W89*D56*H96CM



BC-004 W122*D56*H96CM



BC-005 W40*D25*H68.5CM



BC-006 W120*D47.5*H56.5CM



BC-007 W77.5*D47.5*H56.5CM



BC-008 W62*D47.5*H56.5CM



BC-009 W90*D50*H62CM



BC-010 W120*D50*H66CM



BC-011 W60*D46*H50CM



BC-012 W60*D46*H50CM



BC-013 W30*D30*H168CM



BC-014 W37*D30*H180CM



BC-015 W30*D30*H180CM



BC-016 W44*D35*H140CM



BC-017 W60*D24*H172CM



BC-018 W63*D20*H195CM



BC-019 W63*D23*H167CM



BC-020 W66*D20*H167CM



BC-021 W70*D15*H60CM



BC-022 W60*D19*H50CM



BC-023 W53*D13*H58CM



BC-024 W60*D15*H76CM

# Kitchen Furniture



KF-001 W90*D39*H86CM



KF-002 W75*D44*H89CM



KF-003 W80*D40*H83CM



KF-004 W82*D44*H88CM



KF-005 W60*D40*H89CM



KF-006 W100*D50*H93CM



KF-007 W120*D60*H90CM



KF-008 W60*D40*H75CM



KF-009 W60*D40*H99CM



KF-010 W71*D41*H178CM



KF-011 W100*D40*H180CM



KF-012 W60*D40*H180CM



KF-013 W180*D40*H169CM



KF-014 W100*D40*H170CM



KF-015 W60*D40*H128CM



KF-016 W80*D40*H170CM



KF-017 W100*D33*H80CM



KF-018 W115*D40*H80CM



KF-019 W97*D41*H100CM



KF-020 W80*D40*H136CM



KF-021



KF-022



KF-023



KF-024

# CERTIFICATIONS


# 资质荣誉

## CARB



# CERTIFICATE OF CONFORMITY

## OFTHE FACTORY PRODUCTION CONTROL



EPH SUCCESS BY QUALITY

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

0766-CPR-488/6

In compliance with Regulation (EU) No 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Plywood acc. to EN 636:2012+A1:2015**

Technical class EN 636-1 for internal use as a non-structural and a structural component in dry conditions
Technical class EN 636-2 for internal use as a non-structural and a structural component in humid conditions
Technical class EN 636-3 for external use as a non-structural and a structural component
Product Specification with code 2117264-022

placed on the market under the name of

**Shouguang Luli Wood Inc.**
North of the Yangtze river west street, East of Huanghai Road, Houzhen Town, Shouguang City, Shandong Province
Post code: 262724
China

and produced in the manufacturing plant

**Shouguang Luli Wood Inc.**
North of the Yangtze river west street, East of Huanghai Road, Houzhen Town, Shouguang City, Shandong Province
Post code: 262724
China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13986:2004+A1:2015**

under system 2+ for the performance set out in this certificate are applied and that


**the factory production control fulfils all the prescribed requirements for these performances.**

This certificate was first issued on 26. March 2019 and will remain valid until 25. March 2026 as long as neither the harmonised standard EN 13986:2004+A1:2015, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

The validation of this certificate will be confirmed by a half-yearly surveillance attestation.

Dresden, 10. April 2025
Date

Dr.-Ing. Rico Emmler
Certification Body



EPH SUCCESS BY QUALITY

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

0766-CPR-490/5

In compliance with Regulation (EU) No 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**OSB acc. to EN 300:2006-09**

Technical class OSB 2 for internal use as structural component in dry conditions
Technical class OSB 3 for internal use as structural component in humid conditions
thickness range: 6 mm to 32 mm
Product specification code 2118002-006

placed on the market under the name

**Shouguang Luli Wood Inc.,**
North of the Yangtze river west street, East of Huanghai Road, Houzhen Town
Shouguang City, Shandong Province
Post code 262724
China

and produced in the manufacturing plant

**Shouguang Luli Wood Inc.,**
North of the Yangtze river west street, East of Huanghai Road, Houzhen Town
Shouguang City, Shandong Province
Post code 262724
China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13986:2004+A1:2015**

under system 2+ for the performance set out in this certificate are applied and that

**the factory production control fulfils all the prescribed requirements for these performances.**

This certificate was first issued on 15. April 2019 and will remain valid until 25. March 2025 as long as neither the harmonised standard EN 13986:2004+A1:2015, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

The validation of this certificate will be confirmed by a half-yearly surveillance attestation.

Dresden, 11. April 2024
Date

Dr.-Ing. Rico Emmler
Notified Certification Body



EPH SUCCESS BY QUALITY

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

0766-CPR-490/6

In compliance with Regulation (EU) No 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**OSB acc. to EN 300:2006-09**

Technical class OSB 2 for internal use as structural component in dry conditions
Technical class OSB 3 for internal use as structural component in humid conditions
thickness range: 6 mm to 32 mm
Product specification code 2118002-007

placed on the market under the name

**Shouguang Luli Wood Inc.,**
North of the Yangtze river west street, East of Huanghai Road, Houzhen Town
Shouguang City, Shandong Province
Post code 262724
China

and produced in the manufacturing plant

**Shouguang Luli Wood Inc.,**
North of the Yangtze river west street, East of Huanghai Road, Houzhen Town
Shouguang City, Shandong Province
Post code 262724
China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13986:2004+A1:2015**

under system 2+ for the performance set out in this certificate are applied and that

**the factory production control fulfils all the prescribed requirements for these performances.**

This certificate was first issued on 15. April 2019 and will remain valid until 25. March 2026 as long as neither the harmonised standard EN 13986:2004+A1:2015, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

The validation of this certificate will be confirmed by a half-yearly surveillance attestation.

Dresden, 10. April 2025
Date

Dr.-Ing. Rico Emmler
Certification Body



*SCS Global Services* does hereby certify that an independent evaluation has been conducted on behalf of:

**Shouguang Luli Wood Inc.**
North of the Yangtze River West Street, East of Huanghai Road, Houzhen Town, Shouguang City, 262724, China
Mill Number: SCS-09-0106

For the following Product and Thickness range:
**Particle Board (PB): 8-40 mm**
In compliance with the CARB Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17, products at the specified site meet the necessary qualifications to be certified for the following claim.
Third Party Certifier: TPC-09

**calCOMPliant™- NAF Exemption**
No-Added Formaldehyde
Exemption Granted from: April 20, 2023 to April 20, 2025
Executive Order #: N-23-492
Certificate # SCS-CARB-000964

SCS Global Services is a California Air Resources Board approved Third Party Certifier for compliance with the Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17. Please verify the source and validity of this certificate by visiting the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

Stanley Mathuram, PE, Executive Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA



*SCS Global Services* does hereby certify that an independent evaluation has been conducted on behalf of:

**Shouguang Luli Wood Inc.**
North of the Yangtze River West Street, East of Huanghai Road, Houzhen Town, Shouguang City, Shandong 262724, China
Mill Number: Mill Number: SCS-09-0106

For the following Product and Thickness range:
**Particle Board (PB): 9-44 mm**
In compliance with the CARB Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17, products at the specified site meet the necessary qualifications to be certified for the following claim.
Third Party Certifier: TPC-09

**calCOMPliant™- Phase 2**
Valid From: March 26, 2024 to March 18, 2025
Certificate # SCS-CARB-000830

SCS Global Services is a California Air Resources Board approved Third Party Certifier for compliance with the CARB Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17. Please verify the source and validity of this certificate by visiting the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

Nicole Munoz, Vice President, ECS
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA



*SCS Global Services* does hereby certify that an independent evaluation has been conducted on behalf of:

**Shouguang Luli Wood Inc.**
North of the Yangtze River West Street, East of Huanghai Road, Houzhen Town, Shouguang City, Shandong 262724, China
Mill Number: SCS-09-0106

For the following Product and Thickness range:
**Particle Board (PB): 9-44 mm**
In compliance with the CARB Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17, products at the specified site meet the necessary qualifications to be certified for the following claim.
Third Party Certifier: TPC-09

**calCOMPliant™- Phase 2**
Valid From: March 24, 2025 to March 18, 2026
Certificate # SCS-CARB-000830

SCS Global Services is a California Air Resources Board approved Third Party Certifier for compliance with the Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17. Please verify the source and validity of this certificate by visiting the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services



*SCS Global Services* does hereby certify that an independent evaluation has been conducted on behalf of:

**Shouguang Luli Wood Inc.**
North of the Yangtze River West Street, East of Huanghai Road, Houzhen Town, Shouguang City, Shandong 262724, China
Mill Number: SCS-09-0106

For the following Product and Thickness range:
**Hardwood Plywood - Veener Core (HWPW-VC): 3-25 mm**
In compliance with the CARB Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17, products at the specified site meet the necessary qualifications to be certified for the following claim.
Third Party Certifier: TPC-09

**calCOMPliant™- Phase 2**
Valid From: March 24, 2025 to March 18, 2026
Certificate # SCS-CARB-000885

SCS Global Services is a California Air Resources Board approved Third Party Certifier for compliance with the Composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17. Please verify the source and validity of this certificate by visiting the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services



*SCS Global Services* does hereby certify that an independent evaluation has been conducted on behalf of:

**Shouguang Luli Wood Inc.**
North of the Yangtze River West Street, East of Huanghai Road, Houzhen Town, Shouguang City, Shandong 262724, China
Mill Number: Mill Number: SCS-09-0106

For the following Product and Thickness range:
**Particle Board (PB): 9-44 mm**
In compliance with the US EPA 40 CFR Part 770, Title VI, Formaldehyde Emission Standards for Composite Wood products.
Third Party Certifier: CARB TPC-09

**EPA TSCA Title VI Compliant**
Valid From: March 26, 2024 to March 18, 2025
Certificate # SCS-EPA-000831

SCS Global Services is a US EPA approved Third Party Certifier for compliance with the US EPA 40 CFR Part 770, Title VI Formaldehyde Emission Standards for Composite Wood products. Please verify the source and validity of this certificate by visiting the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

ANAB ACCREDITED PRODUCT CERTIFICATION BODY

Nicole Munoz, Vice President, ECS
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA



RINA

FSC® A000532 — The mark of responsible forestry

**CERTIFICATE No. RINA-COC-004067**

IT IS HEREBY CERTIFIED THAT CHAIN OF CUSTODY OF

**Shandong Jinli Imp. & Exp. Co., Ltd.**
Houzhen, Shouguang, 262724, Shandong, CHINA

IN THE FOLLOWING OPERATIONAL UNITS
Houzhen, Shouguang, 262724, Shandong, CHINA

IS IN COMPLIANCE WITH THE STANDARD
**FSC®-COC**
**FSC-STD-40-004 V3.1; FSC-STD-50-001**

FOR THE FOLLOWING PRODUCTS

Purchasing and sale (transfer system) of FSC 100%, FSC Mix W1.1 Roundwood (logs), W5.2 Solid wood boards, W7 Veneer, W8.1.2 Veneer plywood, W8.2 Particleboard, W8.3.2 Medium-density fibreboard (MDF), W9.1 Finger jointed wood, W9.2 Laminated veneer lumber (LVL), W9.5 Solid-wood board, W9.6 Glued laminated timber (GLULAM), W11.5 Flooring, W12.9 Wardrobes, W12.10 Cupboards and chests.
Single certificate


First issue 18.08.2024
Current issue 18.08.2024
Expiry date 29.09.2027
CoC System certified since: 30/09/2022

Jun Xu
China Certification Director

RINA Services S.p.A.
Via Corsica 12 - 16128 Genova Italy

For the RINA Group office:
RINA (Shanghai) Quality Certification Co., Ltd.
20th Floor, Metrobank Plaza, No. 1160, Yan An Road West, SHANGHAI CHINA

ACCREDITED ORGANIZATION: RINA SERVICES S.p.A., Via Corsica 12, Genova, Italy



Product specification Certificate 0766-CPR-490/5

| Name of the product: OSB-Shouguang Luli Wood Inc. | | | |
|---|---|---|---|
| Technical class | | | code |
| General purpose non load-bearing boards, and boards for interior fitments for internal use in dry conditions | OSB/1 | 1) | 2118002-006 |
| Load-bearing boards for internal use in dry conditions | OSB/2 | 1) × | |
| Load-bearing boards for internal use in humid conditions | OSB/3 | 1) × | |
| Heavy duty load-bearing boards for internal use in humid conditions | OSB/4 | 1) | |
| Panel | | | |
| Thickness range [mm] | 1) 6-32mm | | |
| 6mm to 10 mm: | × | | |
| > 10 mm to < 18 mm: | × | | |
| 18 mm to 25 mm: | × | | |
| > 25 mm to 32mm: | × | | |
| > 32 mm to 40 mm: | | | |
| Length [mm] | | | |
| Width [mm] | | | |
| Top layers | | | |
| Kind of wood | radiata pine, eucalyptus, poplar, fir | | |
| Middle layer | | | |
| Kind of wood | radiata pine, eucalyptus, poplar, fir | | |
| Adhesive | | | |
| Type | Polyurethane (PU) | | |
| Product name | MDI (PM 4350/CW 20) | | |
| Further information | | | |
| Contains flame retardant | NO | | |
| Contains wood preservative | NO | | |

1) Please mark the relevant properties with a cross.

Specification for ITT:

| Thickness range [mm] | | 6 to 10 | >10 to <18 | 18 to 25 | >25to 32 |
|---|---|---|---|---|---|
| Panel | | | | | |
| Nominal thickness [mm] | | | | | |
| Panel properties ($L_{5\%}$ or $L_{95\%}$ for swelling in thickness) | | | | | |
| Bending strength (major axis) | [N/mm²] | 22 | 20 | 18 | 16 |
| Bending strength (minor axis) | [N/mm²] | 11 | 10 | 9 | 8 |
| Modulus of elasticity in bending (major axis) | [N/mm²] | 3500 | 3500 | 3500 | 3500 |
| Modulus of elasticity in bending (minor axis) | [N/mm²] | 1400 | 1400 | 1400 | 1400 |
| Internal bond | [N/mm²] | 0.34 | 0.32 | 0.30 | 0.29 |
| Swelling in thickness 24 h water | [%] | 20/15 | 20/15 | 20/15 | 20/15 |
| Option 2 acc. to EN 300 table 7 (OSB/3) | [N/mm²] | 0.15 | 0.13 | 0.12 | 0.06 |

Comments:
The properties of products which differ in their structure from the ITT structure (thickness, type of wood) are mandatorily to be confirmed by the anufacturer under the FPC, and where necessary, they need to be submitted to the Notified Body.

11. April 2024
date

stamp and signature
Dipl.-Ing. Tino Schulz



認 証 証

認証番号 GPC-JAS-0016

下記事業者については、日本農林規格等に関する法律（昭和２５年法律第１７５号）第30条第1項の規定に基づき、認証したことを証する。

認証年月日：2022 年 9 月 6 日

登録外国認証機関
グリーンパネルコーポレーション（GPC）
代表取締役

記

1. 認証事業者の名称　寿光市魯麗木業股份有限公司
2. 農林物資の製造を行う工場の名称　寿光市魯麗木業股份有限公司 工場
3. 所在地　中華人民共和国山東省寿光市侯鎮黄海路東長江西街北
4. 農林物資の種類及び区分　種類　構造用パネル
5. 有効期限　2023 年 9 月 6 日から 2024 年 9 月 5 日まで

グリーンパネルコーポレーション（GPC）
電 話 番 号：+86-10-64200118
ファックス番号：+86-10-64200122
公 式 サイト：http://www.woodbasedpanel.com

绿奥诺 certification

認証証の付属書類

寿光市魯麗木業股份有限公司
中華人民共和国山東省寿光市侯鎮黄海路東長江西街北

規格番号 JAS 0360:2019
種類 構造用パネル（OSB）
認証番号 GPC-JAS-0016